Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("5220290" "5285143").PN. OR ("6545539").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/01 07:17
L2	12	("4521740" "4922208" "5049834").PN. OR ("5467058").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/01 07:17
L3	. 6	("5659253" "6448855" "6545539").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 07:17
L4	94	("5825818" "5617061" "6084812" "5257415" "5530920" "5625647" "5761055" "5794129" "5943340" "5978487" "6225854" "6225854" "6334050" "6580901" "6667662" "6765428" "6959175" "7027785" "20020084833" "20020145480" "20030099306" "20030109242" "20030151009" "20030174584" "20040042319" "20040266371" "20060057979" "4513436" "4947282" "5247833" "5257293" "5286915" "6353477" "4763576" "4392062" "4493221" "4534748" "4536751" "4571216" "4767938" "4978894" "5024460" "5305242" "5520115" "5528960" "5729197" "5751174" "5850597" "5951681" "6130683").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 07:17
L5	8	("3152250" "4538198" "5083096" "5467058" "5530922" "5724003").PN. OR ("6448855").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/01 07:17
L6	5	("5386109" "5724005" "6417776" "6448855").PN. OR ("6710716").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/01 07:17
L7	27	(power near detect\$3 near circuit).ti.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/01 07:17
L8	4	("3882489" "5315168" "5777507" "6429696").PN. OR ("6999735").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/01 07:17
L9	5	("5386109" "5724005" "6417776" "6448855").PN. OR ("6710716").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/01 07:17
L10	15	("1920785" "2432199" "3383920" "3399348" "3435319"). PN. OR ("3576492").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/01 07:17
L11	10	("3577139" "4637003" "4841177" "5589682" "5659253" "5742201" "5801552" "5898337").PN. OR ("6339702").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/01 07:17
L12	990	(rf or (radio adj frequency)) and (power near detect\$3)and transistor and bias	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/01 07:17
L13	281	L12 and "330"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/01 07:17
L14	131	L13 and (choke or inductor)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/01 07:17
L15	14	("3906386" "4079336" "5352992" "6359516" "6417734"). PN. OR ("6566954").URPN.	US-PGPUB; USPAT; USOCR	OR .	ON	2007/08/01 07:17

L16	0	324/768.ccls. and (rf or (radio adj frequency)) and (power near	US-PGPUB;	OR	ON	2007/08/01 07:17
	·	detect\$3) and (current near mirror)	USPAT; USOCR			•
L17	0	330/277.ccls. and (rf or (radio adj frequency)) and (power near detect\$3) and (current near mirror)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/01 07:17
L18	0	324/769.ccls. and (power near detect\$3) and (current near mirror)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/01 07:17
L19	8	("3797688" "4077013" "5140181" "5398004" "5467058" "5548248" "6069534" "6753734").PN. OR ("6927634").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/01 07:17
L20		330/140.ccls. and (rf or (radio adj frequency)) and (power near detect\$3) and (current near mirror)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/01 07:17
L21	. 4	("5216379" "5654672" "5923217").PN. OR ("6819185").URPN.	US-PGPUB; USPAT; USOCR	OR	ON .	2007/08/01 07:17
L22	62	(rf or (radio adj frequency)) and (power near detect\$3)and (current near mirror near transistor)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/01 07:17
L23	. 2	(rf or (radio adj frequency)) and (power near detect\$3)and current near mirror near transistor and bias and choke	US-PGPUB; USPAT; USOCR	OR .	ON	2007/08/01 07:17
L24	27	("4263562" "4591804" "4940949" "5049834" "5254957" "5491454" "5521553" "5535444" "5637993").PN. OR ("5923217").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/01 07:17
L25	. 17	"324"/\$.ccls. and (power near detect\$3) and (current near mirror)	US-PGPUB; USPAT; USOCR	OR .	ON	2007/08/01 07:17
L26	19	"324"/\$.ccls. and (power near detect\$3) and ((bjt) or (bipolar near junction near transistor))	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/01 07:17
L27	18	"327"/\$.ccls. and (rf or (radio adj frequency)) and (power near detect\$3) and (current near mirror)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/01 07:17
L28	0	324/95.ccls. and (rf or (radio adj frequency)) and (power near detect\$3) and (current near mirror)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/01 07:17
L29	4	330/140.ccls. and (rf or (radio adj frequency)) and (power near detect\$3)and current near mirror	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/01 07:17
L30	76	"330"/\$.ccls. and (rf or (radio adj frequency)) and (power near detect\$3) and (current near mirror)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/01 07:17
L31	. 48	"455"/\$.ccls. and (rf or (radio adj frequency)) and (power near detect\$3) and (current near mirror)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/01 07:17
L32	2	(rf or (radio adj frequency)) and (power near detect\$3)and (current near mirror near transistor) and bias and choke	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/01 07:17
L33	. 990	(rf or (radio adj frequency)) and (power near detect\$3)and transistor and bias	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/01 07:18
L34	281	L33 and "330"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/01 07:18

L35	131	L34 and (choke or inductor)	US-PGPUB; USPAT; USOCR	OR	ON .	2007/08/01 07:18
L36	1904	(rf or radio adj frequency) and power near5 amplifier and mirror and bias	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 07:18
L37	564	L36 and "330"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 07:18
L38	94	("5825818" "5617061" "6084812" "5257415" "5530920" "5625647" "5761055" "5794129" "5943340" "5978487" "6225854" "6225854" "6334050" "6580901" "6667662" "6765428" "6959175" "7027785" "20020084833" "20020145480" "20030099306" "20030109242" "20030151009" "20030174584" "20040042319" "20040266371" "20060057979" "4513436" "4947282" "5247833" "5257293" "5286915" "6353477" "4763576" "4392062" "4493221" "4534748" "4536751" "4571216" "4767938" "4978894" "5024460" "5305242" "5520115" "5528960" "5729197" "5751174" "5850597" "5951681" "6130683").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 07:18
L39	9563	"455"/\$.ccls. and power adj amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 07:18
L40	. 27	(power near detect\$3 near circuit).ti.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/01 07:18
L41	8795	(rf or (radio adj frequency)) near detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 07:18
L42	99	L41 and current adj mirror and power and (dc or (direct adj current)) and bias	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 07:18
L43	23	L42 and "330"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 07:18
L44	625	current adj mirror same (rf or (radio adj frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01_07:18

L45	283	L44 same power	US-PGPUB; USPAT;	OR	ON	2007/08/01 07:18
			USOCR; EPO; JPO; DERWENT; IBM_TDB			
L46	159	L45 same bias\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 07:18
L47	48	"455"/\$.ccls. and (rf or (radio adj frequency)) and (power near detect\$3) and (current near mirror)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/01 07:18
L48	7133	L39 and (radio adj frequency or rf)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 07:18
L49	1997	L48 and bias	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 07:18
L50	281	L49 and mirror	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 07:10
L51	35	324/95.ccls. and power adj amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 07:1
L52	30	L46 same detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 07:1
L53	1020	L49 and @py<"2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 07:1
L54	81	L50 and @py<"2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 07:1
L55	2	L36 and 324/95.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 07:1

L56	4	330/140.ccls. and (rf or (radio adj frequency)) and (power near detect\$3) and (current near mirror)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/01 07:18
L57	20976	"s51"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 07:18
L58	4	330/140.ccls. and (rf or (radio adj frequency)) and (power near detect\$3)and current near mirror	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/01 07:18
L59	19	"324"/\$.ccls. and (power near detect\$3) and ((bjt) or (bipolar near junction near transistor))	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/01 07:18
L60	76	"330"/\$.ccls. and (rf or (radio adj frequency)) and (power near detect\$3) and (current near mirror)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/01 07:18

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	4	(current adj mirror adj transistor) and (power adj transistor) and rf.clm.	US-PGPUB	OR	ON .	2007/08/01 07:26